Certification and Authorization

We, Wuxi Wenjiao G.F.R.P Factory (the Company), the Manufacturer of the life-saving appliances stated below, in conformity to requirements of SOLAS Chapter III, Regulation 20 as amended and entered into force from 1 July 2006, Reg.2.4,4.0 and resolution MSC 152(78), relevant IMO guidelines, according to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) in accordance with training and authorization system established by the Company, hereby certify that Messrs Xie Yu

(ID.NO:8282246A) of FIRETRACE SAFETY TEC PTE

LTD is qualified to undertake all maintenance and repair works of the appliances listed hereunder, such activities shall include inspection, servicing, repairs, maintenance, annual thorough examination, 5 year inspection or testing, and issuance of inspection certificate.

Product (all the types and specifically state, please find the attachment)

- Release system on lifeboat; freefall lifeboats, totally enclosed lifeboat, open type lifeboat, rescue boats and Hi-speed rescue boat
- To instruct personnel in the operation and maintenance
 of lifeboats and lifeboat release gear.

Note: This certificate is valid to 2023.4.1

General Manager: zhanglei Wuxi Wenjiao (J.F.R.P Factory Date: 2020-4-1

Certificate

Name: Xie Yu

Sex: Male

Passport No: S8282246A

Cert.No: WJ2020040101

Work Unit: FIRETRACE SAFETY VEC. PTE LTD

The said student has been trained by this company and passed the exam satisfactorily. According to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) He is now permitted to service for Repair LRRS replace and modification of hook system, annual and 5year inspection (all the types and specifically state, please find the attachment)

Note: 1. This certificate is issued under the authority of the maker stamp

This certificate is valid to 2023.4.1

General Manager: Zhanglei

Wuxi Wenjiao G.F.R.P Factory

Date: 2020-04-01

附件 Attachment

Tel:86-510-88585801

Fax:86-510-88585803

E-mail: sales@wxwjblg.com

Add: Hongxicun, Hongshan Town, Wuxi, Jiangsu, PR China.

全封闭救生/救助艇

Totally enclosed life/rescue boat:

型号 Type	吊钩间距	最大乘员	总重	
± 5 Type	Hook distance	Max. Person	Totally Weight	
WJB50F	4.5m	26P	4550kg	
WJB50C	4.5m	26P	4255kg	
WJ57F	5.3m	30P	5086kg	
WJ57C	5.3m	30P	4748kg	
WJ58F	5.5m	45P	6713kg	
WJ58C	5.5m	45P	6433kg	
WJ75F	7.1m	68P	9110 kg	
			175	

68P

7.1m

自由降落式救生艇

WJ75C

Free Fall lifeboat:

型号 Type	降落高度	最大乘员	总重
至 7 Type	Fall height	Max. Person	Totally Weight
WJ59FF	16m	20P	4950kg
WJ59FC	16m	20P	4650kg
WJ67FF	22m	30P	6937kg
WJ67FC	22m	30P	6637kg

●救助艇

Rescue boat:

#il P. np.	吊钩间距	最大乘员	总重
型号 Type	Hook distance	Max. Person	Totally Weight
WJ40R	单吊	6P	1100kg
WJ45KR	单吊	6P	1123g
WJ45D3	单吊	6P	1335kg
WJ45D	3.5m	6P	1775kg
WJ55D	4.5m	6P	1975kg
WJ60RA	单吊	15P	2537 七 为 /2
WJ60RB	单吊	15P	2687
救生艇			一位 新

Life boat:

型号 Type	吊钩间距	最大乘员	总重
	Hook distance	Max. Person	Totally Weight
WJ45D	3.5m	10P	1600kg
BJ55	4.5m	12P	2242g
BJ60	5.0m	15P	2758kg
BJ65	5.5m	21P	3235kg
BJ70	6.0m	27P	4194kg
BJ75	6.5m	43P	5557 kg
BJ80	7.0m	50P	6766 kg
BJ85	7.5m	60P	7616 kg

●艇钩

Release gear:

型号 Type	工作负荷 Working load
WJHK40	40KN
WJ30HK	30kN
WJ63HKC	63KN
	平 303031283225

附件 Attachment

Tel:86-510-88585801

Fax:86-510-88585803

E-mail: sales@wxwjblg.com

Add: Hongxicun, Hongshan Town, Wuxi, Jiangsu, PR China.

全封闭救生/救助艇

Totally enclosed life/rescue boat:

型号 Type	吊钩间距	最大乘员	总重	
± 5 Type	Hook distance	Max. Person	Totally Weight	
WJB50F	4.5m	26P	4550kg	
WJB50C	4.5m	26P	4255kg	
WJ57F	5.3m	30P	5086kg	
WJ57C	5.3m	30P	4748kg	
WJ58F	5.5m	45P	6713kg	
WJ58C	5.5m	45P	6433kg	
WJ75F	7.1m	68P	9110 kg	
			175	

68P

7.1m

自由降落式救生艇

WJ75C

Free Fall lifeboat:

型号 Type	降落高度	最大乘员	总重
至 7 Type	Fall height	Max. Person	Totally Weight
WJ59FF	16m	20P	4950kg
WJ59FC	16m	20P	4650kg
WJ67FF	22m	30P	6937kg
WJ67FC	22m	30P	6637kg

●救助艇

Rescue boat:

#il P. np.	吊钩间距	最大乘员	总重
型号 Type	Hook distance	Max. Person	Totally Weight
WJ40R	单吊	6P	1100kg
WJ45KR	单吊	6P	1123g
WJ45D3	单吊	6P	1335kg
WJ45D	3.5m	6P	1775kg
WJ55D	4.5m	6P	1975kg
WJ60RA	单吊	15P	2537 七 为 /2
WJ60RB	单吊	15P	2687
救生艇			一位 新

Life boat:

型号 Type	吊钩间距	最大乘员	总重
	Hook distance	Max. Person	Totally Weight
WJ45D	3.5m	10P	1600kg
BJ55	4.5m	12P	2242g
BJ60	5.0m	15P	2758kg
BJ65	5.5m	21P	3235kg
BJ70	6.0m	27P	4194kg
BJ75	6.5m	43P	5557 kg
BJ80	7.0m	50P	6766 kg
BJ85	7.5m	60P	7616 kg

●艇钩

Release gear:

型号 Type	工作负荷 Working load
WJHK40	40KN
WJ30HK	30kN
WJ63HKC	63KN
	平 303031283225

Certification and Authorization

We, Wuxi Wenjiao G.F.R.P Factory (the Company), the Manufacturer of the life-saving appliances stated below, in conformity to requirements of SOLAS Chapter III, Regulation 20 as amended and entered into force from 1 July 2006, Reg.2.4,4.0 and resolution MSC 152(78),relevant IMO guidelines, according to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) in accordance with training and authorization system established by the Company, hereby certify that Messrs **Lee Wei Jian** (ID.NO:

S9270874H) of FIRETRACE SAFETY TEC PTE LTD

is qualified to undertake all maintenance and repair works of the appliances listed hereunder, such activities shall include inspection, servicing, repairs, maintenance, annual thorough examination, 5 year inspection or testing, and issuance of inspection certificate.

Product (all the types and specifically state, please find the attachment)

- Release system on lifeboat; freefall lifeboats, totally enclosed lifeboat, open type lifeboat, rescue boats and Hi-speed rescue boat
- To instruct personnel in the operation and maintenance
 of lifeboats and lifeboat release gear.

Note: This certificate is valid to 2023.4.1

General Manager: Znanglei Wuxi Wenjiao C.F.R.P Factory

Date: 2020-4-1

Certificate

Name: Lee Wei Jian

Sex: Male

Passport No: S9270874H

Cert.No: WJ2020040102

Work Unit: FIRETRACE SAFETY FECTE LTD

The said student has been trained by this company and passed the exam satisfactorily. According to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) He is now permitted to service for Repair LRRS replace and modification of hook system, annual and 5year inspection (all the types and specifically state, please find the attachment)

Note: 1. This certificate is issued under the authority of the maker stamp

This certificate is valid to 2023.4.1

General Manager: Zhanglei

Wuxi Wenjiao G.F.R.P Factory

Date: 2020-04-01

Certification and Authorization

We, Wuxi Wenjiao G.F.R.P Factory (the Company), the Manufacturer of the life-saving appliances stated below, in conformity to requirements of SOLAS Chapter III, Regulation 20 as amended and entered into force from 1 July 2006, Reg.2.4,4.0 and resolution MSC 152(78), relevant IMO guidelines, according to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) in accordance with training and authorization system established by the Company, hereby certify that Messrs Xie Yu

(ID.NO:8282246A) of FIRETRACE SAFETY TEC PTE

LTD is qualified to undertake all maintenance and repair works of the appliances listed hereunder, such activities shall include inspection, servicing, repairs, maintenance, annual thorough examination, 5 year inspection or testing, and issuance of inspection certificate.

Product (all the types and specifically state, please find the attachment)

- Release system on lifeboat; freefall lifeboats, totally enclosed lifeboat, open type lifeboat, rescue boats and Hi-speed rescue boat
- To instruct personnel in the operation and maintenance
 of lifeboats and lifeboat release gear.

Note: This certificate is valid to 2023.4.1

General Manager: zhanglei Wuxi Wenjiao (J.F.R.P Factory Date: 2020-4-1

Certificate

Name: Xie Yu

Sex: Male

Passport No: S8282246A

Cert.No: WJ2020040101

Work Unit: FIRETRACE SAFETY VEC. PTE LTD

The said student has been trained by this company and passed the exam satisfactorily. According to SOLAS Regulation III 20.3.2 and IMO/MSC.1/Circular 1206 rev.1/MSC.402(96) He is now permitted to service for Repair LRRS replace and modification of hook system, annual and 5year inspection (all the types and specifically state, please find the attachment)

Note: 1. This certificate is issued under the authority of the maker stamp

This certificate is valid to 2023.4.1

General Manager: Zhanglei

Wuxi Wenjiao G.F.R.P Factory

Date: 2020-04-01

附件 Attachment

Tel:86-510-88585801

Fax:86-510-88585803

E-mail: sales@wxwjblg.com

Add: Hongxicun, Hongshan Town, Wuxi, Jiangsu, PR China.

全封闭救生/救助艇

Totally enclosed life/rescue boat:

型号 Type	吊钩间距	最大乘员	总重	
± 5 Type	Hook distance	Max. Person	Totally Weight	
WJB50F	4.5m	26P	4550kg	
WJB50C	4.5m	26P	4255kg	
WJ57F	5.3m	30P	5086kg	
WJ57C	5.3m	30P	4748kg	
WJ58F	5.5m	45P	6713kg	
WJ58C	5.5m	45P	6433kg	
WJ75F	7.1m	68P	9110 kg	
			175	

68P

7.1m

自由降落式救生艇

WJ75C

Free Fall lifeboat:

型号 Type	降落高度	最大乘员	总重
至 7 Type	Fall height	Max. Person	Totally Weight
WJ59FF	16m	20P	4950kg
WJ59FC	16m	20P	4650kg
WJ67FF	22m	30P	6937kg
WJ67FC	22m	30P	6637kg

●救助艇

Rescue boat:

型号 Type	吊钩间距	最大乘员	总重	
至与 Type	Hook distance	Max. Person	Totally Weight	
WJ40R	单吊	6P	1100kg	
WJ45KR	单吊	6P	1123g	
WJ45D3	单吊	6P	1335kg	
WJ45D	3.5m	6P	1775kg	
WJ55D	4.5m	6P	1975kg	
WJ60RA	单吊	15P	2537 尤 场	*
WJ60RB	单吊	15P	2687	7
			1 Car of 4	スタ
救生艇			商朝	No.

Life boat:

	吊钩间距	最大乘员	总重
型号 Type	Hook distance	Max. Person	Totally Weight
WJ45D	3.5m	10P	1600kg
BJ55	4.5m	12P	2242g
BJ60	5.0m	15P	2758kg
BJ65	5.5m	21P	3235kg
BJ70	6.0m	27P	4194kg
BJ75	6.5m	43P	5557 kg
BJ80	7.0m	50P	6766 kg
BJ85	7.5m	60P	7616 kg

●艇钩

Release gear:

型号 Type	工作负荷 Working load
WJHK40	40KN
WJ30HK	30kN
WJ63HKC	63KN
	平 303031283225